

PRODUCT LIST





A-16

One-touch operating battery strapping tool

A-16 Battery strapping tool comes with two working modes-- semi auto and auto. The auto mode can make users enjoy a way of one-touch operating, which is more convenient. A-16 has its max tension power at 3200N and 9 grades can be adjusted by digital display operation. It is powered with high capacity 6000mah lithium battery, which make it work 600 cycles per fully charging. One of the key selling points is that it is good in quality and cheap in price compared with the similar ones in the market. It is a really good product for dealers to explore and grasp the market. A-16 is such a powerful tools and can be widely used in most industries.



Advantages

- *Auto /semi-auto modes
- *High sealing efficiency
- *Tension force & sealing time adjustable
- *Friction weld sealing
- *Well balance with robust cover
- *Durable and economical
- *High capacity 6.0A Lithium battery
- *Customised service available



One touch operating
 Durable usage with
 6.0A battery

Perfect for both
 PP and PET straps

Characteristics

- Weight: 3.44KG(incl. battery)
- Dimension(L*W*H): 315*150*118(mm)
- Operation mode: semi-auto and atuo
- Power: Lithium battery (DC14.4V, 6000MAH)
- Strap tension: 60-3200(N)
- Joint : Friction welding
- Sealing time:1-3 seconds
- Strapping width:9mm to 16mm PET/PP
- Strapping thickness: 0.5mm-1.2mm PET/PP
- Endurance : Up to 600 straps per fully charging
- Battery charging time: About 45Min.



Customised service
 available

Application





JD-008

The pallet strapping machine

JD-008 Ergonomic pallet strapping machine with electrically driven chainlance via motor is a hot product in all industry. It can make you have an elegant way of strapping without bending down, which is a comfortable way by one person from one side only just roll the strapping machine in front of the pallet. Then the ChainLance pulls the strap through under the pallet and up again on the rear side and over the pallet. The strap is tensioned and welded securely by sealing head.



Easy operation, ergonomic, efficient, affordable, especially for pallet packing

Advantages

- *Elegant operation via touchscreen
- *Ergonomically shaped handles, easy to operate
- *Working safety in classy design
- *Auto strapping, feeding and sealing
- *Over 2 times higher efficiency
- *The pallet width is adjusted by touch screen
- *Applicable: Width below 2M, height below 3M
- *Number of strapping: 400 to 600 per charge



Characteristics

Dimensions: 950mm*750mm*1250mm
 Net weight: 105KG-110KG;
 Chain lance length: 9300mm
 Drive: Electric motor with spur gear, electronically controlled
 Noise emission level: 79 dB (A)
 Max. chain thrust: 320 N
 Strap Types: Polypropylene / Polyester
 Strap thickness: 0.6mm-1.3mm
 Strap width: 2mm-19mm


Applicable for pallet: Width \leq 2M, height \leq 3M
 Pallet hole height: Over 75mm
 Sealing head: Optional
 Charger: Three stage full intelligent charger
 Battery: 33V Lithium battery
 No. of strapping: 400 to 600 per charge, depending on pallet size, tension, frictionweld sealing time and age of battery
 Battery life span: Up to 2000 charges
 Charging time: Approx 3.5 hours



JD-PSE 13/16-14 (JD-PSE16)

Battery powered strapping tool for PP/PET strapping

JD-PSE13/16-14 is a classical battery powered strapping tool with very good ergonomics. This tool can be operated with 1 hand. With flexible settings, wide tension range, it is perfect and easy to feed both PP and PET strap. JD-PSE13/16 is widely used in all industries and sectors. It comes with the highest productivity and performance to match the customers' packaging demands around the world.



Lightweight, ergonomic, efficient, well balanced and one-hand operable tool for a wide range of applications in all industries.

Advantages

- *Simple one-handed operation
- *High sealing efficiency
- *Tension force & sealing time adjustable
- *Friction weld sealing
- *Ergonomic design & well balance
- *Durable and economical
- *High capacity Lithium battery
- *Brushless motor technology
- *Robust cover
- *Dust and moisture-proof design



Characteristics

- Weight: 3.44KG(incl. battery)
- Dimension(L*W*H): 70*140*120(mm)
- Power: Lithium battery (DC14.4V, 6000MAH)
- Strap tension: 0-2800(N) or 0-285(KG)adjustable
- Joint : Friction welding
- Sealing time:1-3 seconds(adjustable)
- Strapping width:up to 16mm
- Strapping thickness: 0.5mm-1.2mm(PET)/0.5mm-1.5mm(PP)
- Endurance : Up to 800 straps per battery load
- Battery charging time: About 30 -45Min.





L-16

Battery strapping tool

L-16 battery strapping tool comes with a perfect sealing performance. It can make users enjoy an efficient way of strapping. A-16 has its max tension power at 2500N and 9 grades can be adjusted by digital display operation. It is powered with high capacity 6000mah lithium battery, which make it work 600 cycles per fully charging. One of the key selling points is that it is **economical** compared with the similar ones in the market. It is a good product for dealers to explore and grasp the market. A-16 is such a powerful tools and can be widely used in most industries.



Advantages

- *One touch to tension available
- *High sealing efficiency
- *Tension force & sealing time adjustable
- *Friction weld sealing
- *Well balance with robust cover
- *Durable and economical
- *High capacity 6.0A Lithium battery
- *Customised service available




Perfect for both
PP and PET straps



Customised service available

Characteristics

- Weight: 3.42KG(incl. battery)
- Dimension(L*W*H): 310*135*130(mm)
- Operation mode: 2 modes
- Power: Lithium battery (DC14.4V, 6000MAH)
- Strap tension: 60-2500(N)
- Joint : Friction welding
- Sealing time:1-3 seconds
- Strapping width:9mm to 16mm PET/PP
- Strapping thickness: 0.5mm-1.2mm PET/PP
- Endurance : Up to 600 straps per fully charging
- Battery charging time: About 60-90 Min.



Application





JDH-16

Semi auto handhold strapping tool for PP/PET strapping

JDH-16 is a classical handheld battery powered strapping tool. Thanks to its manual tightening mode, so it is more affordable compared with those tightened by motor on the market. What's more, with flexible settings, wide tension range, it is perfect for both PP and PET strapping.



Lightweight, ergonomic, efficient, well balanced and easily operable tool

Advantages

- *Cost effective
- *Simple one-handed operation
- *High sealing efficiency
- *Sealing time adjustable
- *Friction weld sealing
- *Ergonomic design
- *High capacity Lithium battery
- *Robust cover & perfect balance
- *Tension force adjustable by manual

Characteristics

Weight: 2.75KG(incl. battery)
 Dimension(L*W*H):30*140*168(mm)
 Power: Lithium battery (DC14.4V, 3000Mah)
 Strap tension: 60-2100(N) or 6-214(KG)adjustable
 Joint :Friction welding
 Sealing time:1-3 seconds(adjustable)
 Strapping width:Up to 16mm
 Strapping thickness:0.4mm-1.2mm
 Endurance:Up to 300 straps per battery load
 Battery charging time: About75Min.





“Blue Sword”

The professional pallet threading tool

Blue-Sword threading tools is a professional auxiliary tool for pallet threading. It is designed for PET,PP and other straps. Its high efficiency and durability enable users to feed the straps under and through the pallets while standing comfortably, which is also more energy-saving and safer.



Durable and flexible, less stopping and kneeling action



Advantages

Blue-Sword comes with features of making pallet threading operation faster, safer and better.

- *Durable and flexible polyurethane clip
- *Highly flexible fiber rod
- *Applicable for PP/PET/other straps(the width \leq 25mm, thickness \leq 1.5mm)
- *Less stooping and kneeling action.
- *No stuck or stop during threading

Characteristics

Dimension:	190cm*4.3cm*6.8cm(L*H*W)
Gross weight:	570g
Net weight:	185g
Clip head dimension:	12.8cm*4.3cm*6.8cm
Carton dimension:	75cm*41cm*5.5cm
Rod material:	Highly flexible fiber rod
Clip material:	Durable and flexible polyurethane

